


\* 所有原料材质, 生产制程, 电镀必须符合ROHS要求

由 Autodesk 教育版产品制作  
 版权所有为: 深圳市鑫南天科技有限公司, 网址: http://www.sznantian.com



1. SPECIFICATIONS

INSULATION RESISTANCE: 500M min. AT DC 500V DC  
 WITHSTANDING VOLTAGE: 250V ACrms FOR 1 MINUTE  
 CONTACT RESISTANCE: 100M max. AT 10MA/20mV max  
 CURRENT RATING: 0.5A  
 VOLTAGE RATING: 5.0 vrms  
 OPERATING TEMP. RANGE: -55 C+85 C  
 MATING CYCLES: 5000 INSERTIONS

2. MATERIAL:


INSULATOR: H-TEMPERATURE PLASTIC, UL 94V-0,  
 COLOR: BLACK  
 TERMINAL: COPPER ALLOY, T=0.15mm  
 SHELL: STAINLESS STEEL, T=0.15mm

3. FINISH:

TERMINAL: 50u" min NICKEL UNDERPLATED ON ALLOVER, GOLD PLATING  
 ON CONTACT ARER, 80u"min TIN ON SOLDER TAIL.  
 SHELL: 50u" NICKEL UNDERPLATED ON ALLOVER, GOLD FLASH ON SOLDER  
 LATCH

SIM pin assignment	
PIN#	Name
C1	VCC
C2	RST
C3	CLK
C4	Reserved
C5	GND
C6	VPP
C7	I/O
C8	Reserved

REVISION NO.	ECR NO.	DESCRIPTION	MARK	DATE
1				
2				





深圳市鑫南天科技有限公司  
 Shen zhen Shi Xin Nan Tian Industrial Co., Ltd

PRODUCT NAME : SIM PUSH 6P 沉板式  
 PRODUCT NO. : 0081AAAS06A  
 DRAWING NO. : XNT-001

DIMENSIONS INIT: mm UNLESS OTHERWISE SPECIFIABLE	PRODUCT NAME : SIM PUSH 6P 沉板式	DRAWING: COCO	DATE: 2012/05/10
DIMENSION TOLERANCE X.X: ± 0.25 X.XX: ± 0.10 X.XXX: ± 0.05 ANGULAR: ± 1°	PRODUCT NO. : 0081AAAS06A	CHECK: JANY	DATE: 2012/05/10
	DRAWING NO. : XNT-001	APPROVED: JEFF	DATE: 2012/05/10
	SCALE: 1:1	DWG ID: P D	REV.: A
			PAGE: 1 of 1

A  
B  
C  
D  
E  
F



\* 所有原料材质, 生产制程, 电镀必须符合ROHS要求



Note:

1. 10 sprocket hole pitch cumulative tolerance  $\pm 0.2$
2. Carrier camber is within 1 mm in 250mm.
3. Material: Black Conductive Polystyrene Alloy  
100% recyclable.
4. All dimensions meet EIA-481-B requirements.
5. Thickness:  $0.3 \pm 0.05$  mm.
6. Component load per 13" reel: 800 pcs.
7. A box of 3 volumes, 2400PCS

REVISION NO.	ECR NO.	DESCRIPTION	MARK	DATE
1				
2				

		<b>深圳市鑫南天科技有限公司</b> Shen zhen Shi Xin Nan Tian Industrial Co., Ltd			
		DIMENSIONS INIT: mm UNLESS OTHERWISE SPECIFIABLE DIMENSION TOLERANCE X.X: $\pm 0.25$ X.XX: $\pm 0.10$ X.XXX: $\pm 0.05$ ANGULAR: $\pm 1^\circ$	PRODUCT NAME : <b>MINI-HDMI 19Pin SMT C TYPE Reel</b>	DRAWING: <b>COCO</b>	DATE: 2008/12/10
		PRODUCT NO. : 0021*AA*19*	CHECK: <b>JANY</b>	DATE: 2008/12/10	
		DRAWING NO. : NT-003	APPROVED: <b>JEFF</b>	DATE: 2008/12/10	
			SCALE: 1:1	DWG ID: P D REV.: A PAGE: 1 of 1	